R

	Application No.	Applicant(s)
Notice of Allowability	Application No.	
	09/511,243 Examiner	YAMAZAKI ET AL. Art Unit
	Examiner	Art Onit
	Jordan M. Schwartz	2873
The MAILING DATE of this communication appel claims being allowable, PROSECUTION ON THE MERITS IS rewith (or previously mailed), a Notice of Allowance (PTOL-85) DTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is so	this application. If not included nication will be mailed in due course. THI
☐ This communication is responsive to RCE filed 10/16/07.		
☑ The allowed claim(s) is/are <u>11-63</u> .	•	
	nder 35 U.S.C. § 119(a)-(d) o	or (f).
a) ⊠ All b) ☐ Some* c) ☐ None of the:		•
1. Certified copies of the priority documents have	been received.	
2. Certified copies of the priority documents have	been received in Application	n No. <u>08/959,285</u> .
3. Copies of the certified copies of the priority do	cuments have been received	in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		•
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN ITHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) I including changes required by the Notice of Draftspers	on's Patent Drawing Review	(PTO-948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or	in the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
☐ DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	RIAL must be submitted. Note the LOGICAL MATERIAL.
achment(s) Notice of References Cited (PTO-892)	5 Motion of Inf	ormal Patent Application
 Notice of References Cited (P10-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		ormal Patent Application mmary (PTO-413),
_	Paper No./	Mail Date
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>See Continuation Sheet</u>	7. 🗌 Examiner's A	Amendment/Comment
Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's S	Statement of Reasons for Allowance
of Biological Material	9. 🔲 Other	

U.S. Patent and Trademark Office PTOL-37 (Rev. 08-06) Notice of Allowability JORDAN SCHWARTEart of Paper No./Mail Date 20071225

Continuation of Attachment(s) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date: 10/16/07, 10/19/07, 12/26/07.

Application/Control Number:

09/511.243 Art Unit: 2873

Allowed Claims: 11-63.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: none of the prior art either alone or in combination disclose or teach of the clamed combination of limitations to warrant a rejection under 35 USC 102 or 103. Specifically, in reference to independent claim 11, none of the prior art either alone or in combination disclose or teach of the claimed optical apparatus specifically including, as the distinguishing features in combination with the other limitations, the first to third surfaces being integrally formed with a medium disposed therebetween, the first surface forming both a reflecting and an exit surface, and at least the first surface formed from a rotationally asymmetric curved surface so as to correct aberrations produced by a decentered surface having an optical action. Specifically, in reference to independent claims 17 and 23, none of the prior art either alone or in combination disclose or teach of the claimed optical apparatus specifically including, as the distinguishing features in combination with the other limitations, the first surface serving as both a refracting surface and either an internally or totally reflecting surface, the second surface serving as a reflecting surface of positive power, and at least the first surface formed from a rotationally asymmetric curved surface so as to correct aberrations produced by a decentered surface having an optical action. Specifically, in reference to independent claims 48 and 58, none of the prior art either alone or in combination disclose or teach of the claimed optical apparatus specifically including, as the distinguishing features in combination with the other limitations, the first to third surfaces being integrally formed to face each

Application/Control Number:

09/511,243

Art Unit: 2873

other across a medium, the first surface forming both a reflecting and an exit surface, and at least one of the first to third surfaces formed from a rotationally asymmetric curved surface so as to correct aberrations produced by a decentered surface.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jordan M. Schwartz whose telephone number is (571) 272-2337. The examiner can normally be reached on Monday to Friday from 8:00 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Mack can be reached on (571) 272-2333. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number:

09/511,243 Art Uhit: 2873

Jordan M. Schwartz **Primary Examiner** Art Unit 2873 January 02, 2008

Page 4